

Society's responsibility to provide safe abortion care

Ann Furedi

chief executive

British Pregnancy Advisory Service

FIAPAC Berlin 2008

1



Globally, abortion is a fact of life

| Regions/sub regions | No of abortions (millions) 1995 2003 | | Abortion rate (per 1,000 women 15-44) 1995 2003 | |
|---|---|------------|---|----------|
| World | 45.6 | 41.6 | 35 | 29 |
| Developed countries Excluding E Europe | 10.0 3.8 | 6.6 3.5 | 39 20 | 26 19 |
| Developing countries Excluding China | 35.5 24.9 | 35 26.4 | 34 33 | 29 30 |
| Africa | 5.0 | 5.6 | 33 | 29 |
| Asia | 26.8 | 25.9 | 33 | 29 |
| Europe | 7.7 | 4.3 | 48 | 28 |
| Latin America | 4.2 | 4.1 | 37 | 31 |
| North America | 1.5 | 1.5 | 22 | 21 |
| Oceania | 0.1 | 0.1 | 21 | 17 |

2



Why so many abortions?



Unintended pregnancy

More than a third of, approximately, 205 million pregnancies each year are unintended

- Developed countries
 23 million pregnancies, 40% unintended, 28% end in induced abortion
- Developing countries
 182 million pregnancies, >1/3rd unintended, 19% end in induced abortion (8% safe and 11% unsafe)



Unsafe abortion

WHO definition of 'unsafe abortion'

"a procedure for terminating an unintended pregnancy carried out either by persons lacking the necessary skills or in an environment that does not conform to minimal medical standards or both."



Unsafe abortion

- 48% of all abortions are unsafe
- 18% of abortions in developed countries are unsafe
- 55% of abortions in undeveloped countries are unsafe
- More than 95% of abortions in Africa and Latin America are performed in unsafe circumstances



Consequences of unsafe abortion worldwide

- Number of women hospitalised each year for treatment of abortion-related complications
 5 million
- Number of maternal deaths each year attributable to abortion-related complications
 67,000 (13%)
- Number of children who lose their mothers from abortion-related deaths



"No woman should anywhere have to face death or disability for want of a safe abortion. Is there anyone who would disagree with the right of a woman not to die in pregnancy? Anybody? No."

Rt Hon Hilary Benn MP, Secretary of State for International Development



Why can't unintended pregnancies be prevented?



Contraception not always available or acceptable

- Averagely fertile woman must use some form of effective contraception
 - for 20 years to limit family size to 2 children
 - for 16 years to limit family size to 4 children
- More than 100 million married women in developing countries have an unmet need for contraception



But even when contraception is available, accessible and acceptable – it doesn't always work!



% women with unintended pregnancy in first year of contraceptive use

| | Perfect use | Typical use |
|------------------------|-------------|-------------|
| Spermicide | 18% | 29% |
| Diaphragm + spermicide | 6% | 16% |
| Male condom | 2% | 15% |
| Pill | 0.3% | 8% |
| Depo-Provera | 0.3% | 3% |
| Implanon | 0.05% | 0.05% |
| Mirena | 0.2% | 0.2% |
| Copper IUD | 0.6% | 0.8% |

source: James Trussell

Contraceptive Technology 2007



Safe abortion is not just about health but about the very fabric of society



Society expects women to participate in public life





Society expects us to plan our families



Society values bodily autonomy






Society accepts sex is for more than procreation









THE **PROBLEM** IS NOT ABORTION ABORTION IS THE POSSIBLE **SOLUTION**



Thank you

ann.furedi@bpas.org